

SFMC Core Measures

Core Measures	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Acute Myocardial Infarction					
ASA within 24 hours of Arrival (wo contraindications)	98.1%	97.8% (44/45)	100% (51/51)	94.9% (56/59)	100% (52/52)
ASA @ discharge discharge (wo contraindications)	97.9%	98.9% (87/88)	97.5% (79/81)	93.3% (83/89)	98.7% (75/76)
ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction % (Ejection Fraction <40%)	94.3%	85.7% (24/28)	88.2% (15/17)	66.7% (14/21)	85.7% (18/21)
Adult Smoking Cessation Counseling	99.1%	100% (31/31)	100% (25/25)	93.5% (29/31)	96.2% (25/26)
Beta Blocker on discharge (wo contraindications)	97.8%	98.7% (70/78)	90.8% (69/76)	89.5% (68/76)	94.7% (71/75)
Beta Blocker within 24 hours of arrival (wo contraindications)	95.5%	89.5% (34/38)	93.8% (45/48)	95.8% (46/48)	93.6% (44/47)
Time to PCI reperfusion from arrival (Median in min)	81	77 min	73 min	81 min	85 min
PCI within 90 min arrival % (wo contraindications)	82.6%	75% (6/8)	90.9% (10/11)	57.1% (4/7)	57.1% (4/7)
Acute Myocardial Infarction Mortality (%)	4.3%	3.2% (2/63)	7.0% (4/57)	9.8% (6/61)	5.3% (3/57)
Pneumonia					
	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Pneumococcal vaccination screened for and administered (unless contraindicated)	88.9%	91.2% (103/113)	92.2% (83/90)	90.8% (89/98)	95.1% (97/102)
Blood Culture w/in 24 hrs prior/after Admit ICU	94.2%	100% (10/10)	95.5% (21/22)	88.2% (15/17)	100% (20/20)
Blood Culture Collected in ED	93.9%	95.3% (102/107)	97.4% (76/78)	98.9% (86/87)	97.9% (93/95)
Adult Smoking Cessation Counseling	96.5%	89.5% (34/38)	96.4% (27/28)	91.9% (34/37)	100% (34/34)
Median antibiotic first dose mean time (min)	154	175 min	120 min	154 min	198 min
Initial antibiotic < 6 hours of arrival	95.5%	91.2% (83/91)	97.4% (75/77)	92.7% (76/82)	88.6% (78/88)
Initial antibiotic for immunocompetent in ICU	60.5%	50% (1/2)	12.5% (1/8)	66.7% (2/3)	75% (3/4)
Initial antibiotic for immunocompetent non ICU	93.0%	79.6% (43/54)	94.3% (33/35)	89.7% (35/39)	91.5% (43/47)
Influenza vaccination screened for and administered (unless contraindicated)	Q 1 08 TJC 86.1%	88.9% (144/162)	NA	NA	91% (131/144)
Heart Failure					
	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Discharge Instructions	84.3%	44.1% (60/136)	66.9% (83/124)	67.2% (84/125)	59% (79/134)
Left Ventricular Function Assessment	97.1%	95.8% (158/165)	95.2% (140/147)	96.8% (151/156)	97.6% (165/169)
ACE Inhibitor or ARB for L Ventricular Systolic Dysfunction % (Ejection Fraction <40%)	93.0%	79.7% (51/64)	80.8% (42/52)	80.4% (41/51)	84% (42/50)
Adult Smoking Cessation Counseling	97.7%	96.6% (28/29)	95.3% (41/43)	96.6% (28/29)	89.7% (26/29)

SFMC Core Measures

Core Measures	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Surgical Care Improvement Project (SCIP)	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Proph Antibiotic w/in 1 Hour Overall	93.9%	91.4% (170/186)	96.2% (179/186)	96.3% (183/189)	93.8% (76/81)
Received Recommended Proph Antibiotic for Surg Pts--Overall	96.9%	94.7% (178/188)	94.1% (176/187)	96.4% (186/193)	95.1% (78/82)
Proph Antibiotics Discontinued Overall	90.9%	83.3% (145/174)	86.2% (150/174)	85.1% (149/175)	82.3% (65/79)
Proph Antibiotic w/in 1 Hour CABG	94.8%	100% (24/24)	96.6% (28/29)	100% (32/32)	100% (13/13)
Received Recommended Proph Antibiotic for Surg Pts CABG	98.7%	100% (25/25)	100% (29/29)	100% (33/33)	100% (14/14)
Proph Antibiotic Discont w/in 48 hrs CABG	94.4%	63.6% (14/22)	75% (21/28)	77.4% (24/31)	84.6% (11/13)
Proph Antibiotic w/in 1 Hour Cardiac Surg	94.6%	100% (6/6)	100% (6/6)	90.9% (10/11)	87.5% (7/8)
Received Recommended Proph Antibiotic for Surg Pts Cardiac Surg	99.2%	100% (7/7)	100% (6/6)	100% (13/13)	100% (8/8)
Proph Antibiotic Discont Cardiac Surg	93.2%	66.7% (4/6)	83.3% (5/6)	100% (10/10)	100% (8/8)
Proph Antibiotic w/in 1 Hour Hip Arthro	94.0%	89.4% (42/47)	97.1% (34/35)	95.8% (46/48)	94.4% (17/18)
Received Recommended Proph Antibiotic for Surg Pts Hip Arthro	98.8%	100% (47/47)	97.1% (34/35)	97.9% (47/48)	100% (18/18)
Proph Antibiotic Discont Hip Arthro	90.6%	85.7% (36/42)	80% (24/30)	80.5% (33/41)	83.3% (15/18)
Proph Antibiotic w/in 1 Hour Knee Arthro	95.6%	93.8% (75/80)	98.8% (84/85)	95.3% (61/64)	100% (17/17)
Received Recommended Proph Antibiotic for Surg Pts Knee Arthro	98.9%	100% (80/80)	100% (85/85)	100% (63/63)	94.1% (16/17)
Proph Antibiotic Discontinued Timely Knee Arthro	91.9%	98.7% (75/76)	96.3% (78/81)	95.0% (57/60)	100% (17/17)
Proph Antibiotic w/in 1 Hour Colon Surg	88.4%	73.3% (11/15)	80.0% (12/15)	90.9% (10/11)	75% (3/4)
Received Recommended Proph Antibiotic for Surg Pts Colon Surg	85.4%	46.7% (7/15)	66.7% (10/15)	63.6% (7/11)	100% (4/4)
Proph Antibiotic Discont Colon Surg	82.2%	35.7% (5/14)	64.3% (9/14)	55.6% (5/9)	25% (1/4)
Proph Antibiotic w/in 1 Hour Hysterectomy	94.1%	90.9% (10/11)	100% (6/6)	100% (8/8)	88.9% (8/9)
Received Recommended Proph Antibiotic for Surg Pts Hysterectomy	96.6%	81.8% (9/11)	66.7% (4/6)	88.9% (8/9)	88.9% (8/9)
Proph Antibiotic Discont Hysterectomy	93.2%	72.7% (8/11)	83.3% (5/6)	75% (6/8)	55.6% (5/9)
Proph Antibiotic w/in 1 Hour Vasc Surg	91.4%	66.7% (2/3)	90% (9/10)	100% (16/16)	91.7% (11/12)
Received Recommended Proph Antibiotic for Surg Pts Vascu Surg	96.9%	100% (3/3)	72.7% (8/11)	93.8% (15/16)	83.3% (10/12)
Proph Antibiotic Discont Vasc Surg	84.5%	100% (3/3)	88.9% (8/9)	87.5% (14/16)	80% (8/10)
Surgery Pt on Beta Blocker PTA who received BB during Perioperative period	93.5%	94.3% (99/105)	93.5% (87/93)	96.7% (88/91)	81.4% (35/43)

SFMC Core Measures

Core Measures	TJC Q3 08 Mean	Q1 08	Q2 08	Q3 08	Q4 08
Card Pts with Controlled 6AM Postop Serum Glucose	90.2%	93.9% (31/33)	92.7% (38/41)	91.7% (44/48)	91.7% (22/24)
Surgery Pts with Appropriate Hair Removal	97.7%	99.6% (267/268)	98.8% (249/252)	99.6% (253/254)	100% (128/128)
Colorectal OR Pts with Immediate Post-Op Normothermia	86.4%	88.2% (15/17)	93.8% (15/16)	92.3% (12/13)	80% (4/5)
Surgery Pts with recommended DVT Thromboembolism Prophylaxis Ordered	92.9%	93.3% (167/179)	92.6% (162/175)	89.7% (156/174)	81.1% (30/37)
Surgery Pts Who Received Appropriate DVT Prophylaxis Timely	90.7%	89.9% (1601/179)	89.1% (156/175)	85.1% (148/174)	78.4% (29/37)
Outpatient SCIPs	TJC Q3 08 Mean		Q2 08	Q3 08	Q4 08
OP-6: Antibiotic Timing	83.6%		92.4% (86/93)	90.1% (82-91)	92.9% (118/127)
OP-7: Antibiotic Selection	80.6%		92.4% (86/93)	79.3% (73/92)	85.2% (109/128)

More than 10% negative value from the TJC mean
 Within 10% negative from the TJC mean
 Equal to TJC mean or Better
 Score of 100%